

 **ICE-CREAM  
EQUIPMENT**



EXTRUSION

# W2 TABLE

SPECIALS



Visit our sites



for more informations.

[www.vojtacz.com](http://www.vojtacz.com)

W1/W2 are flexible, independent attachments to extrusion lines, capable of production of wide range of innovative, sophisticated products, requested in many markets.

## Capacity:

**from 6.000 pcs/h**

(1 row of products/tray)


**to 21.000 pcs/h**

(3 rows of products/tray)

W2 tables can be attached to any extrusion line, just needed encoder for synchronisation.







- 1 Twister head
- 2 Electric box
- 3 Operator panel
- 4 Dynamic stick inserter
- 5 Viennetta station



Get more info  
about **W1/W2**









# Features of W1/W2:

- Conveyor with belt speed regulation, product transfer unit, pneumatically operated
- PLC unit to synchronize the worktable with extrusion line, incl. encoder
- Cutting station, heated, temperature control
- Stainless steel frame

## Dynamic stick inserter:

- Gentle inserting at sync. movement
- Pneumatic or servo synchronisation
- 2-3-4 wide stick inserters

## Transfer and cutting station:

- Pneumatic transfer unit
- Cutting station with heated blade
- Easy adjustable

## Multilayer extrusion station:

- 4-8 extruders for multilayer products
- 2-4 chocolate sprayers
- Heated choco vat with pump

## W2 rotary head:

- 2 rotary heads
- 3 colours ( 1 x central + 2 x rotary colours)
- Ice cream/water ice combination







Get more info  
about **W1/W2**




**Twister Head**






# Product tray placement:



Single row



Double row

# Product range:



SP-0002-120



SP-0001-100



SP-0017-80



SP-0019-80



SP-0012-140



SP-0003-120



SP-0004-120





SP-0021-70



# Connection with line:

- For any extrusion line can be placed up to 3 W2 tables, with maximal output 21.000 pcs/h
- Minimal product pitch is 75mm for rotary heads, 70mm for multilayer products
- Distance of rows on tray adjustable



Get more info  
about **W1/W2**